

State of Washington Application for a Water Right Please follow the attached instructions to avoid unnecessary delays.

For	Eco.	logy l	Jse

Fee Paid

Date	9	

Name_Ska	maina County	y PUD No. 1			Home Tel:(_)		
Mailing Address P.O. Box 500					Work Tel:(_	509) 42	27 - 51	26
City Carson State WA Zip+4 986				10 + 0500 FAX:(_	509) 42	27 - 84	16	
	2. CONT	ACT - PE	RSON T	TO CALI	L ABOUT THE A	PPLI	CATIC	ON
Name_Bre	nt Gruber				Home Tel:(_)		¥ × ×
Mailing Ad	dress_317 Co	olumbia Stree	t -		Work Tel:(:	360) 69	95 - 704	<u>11</u>
City_Vanc	ouver	Star	te <u>WA</u> Zij	p+4 <u>98660</u>	+ 3175 FAX:(360) 69	4 - 104	13
Relationshi	p to applicant	Consultant					-	
Γhe applica	nt requests a	EMENT C	not more tl	nan <u>2.35</u>	3	_ (🗆 ga	llons per	minute or
🛮 cubic fee	et per second)	from a 🛛 sur	face water	source or [ground water source	(check o	nly one)	for the purpose(s)
	estic/Public su FION OF TH		F USE. (S	See instruct	ions.) NOTE: A tax pa	rcel nun	A "LEG iber or a	plat number is not
<i>sufficient.</i> Estimate a r	See E	Exhibit B	o he used i	n acre-feet r	per year: 715			
		7 (1186) (1186) (1 86) (186) (186) (1 86)			ject. Indicate the period			
i Check					-	a Or time	mat me	water will be neede
	From	_//	то	//				
Section	4. WATE	ER SOUR	CE				-	
If SURFA	CE WATE	R			If GROUNDWATER			
Name the water source and indicate if stream, spring, lake, etc. If unnamed, write "unnamed spring," "unnamed stream," etc.: Bear Creek					A permit is desired for well(s).			
Number o	f diversions: _	1						
Source flows into (name of body of water): Wind River					Size & depth of well(s):			
LOCATIO	ON							
	north-south	and east-wes			om the point of divers			
Enter the	north-south	and east-wes			om the point of divers	east and	d 1,148 fe	ce is platted, complete clow:
Enter the section co	north-south orner: E	and east-wes	corner of Se	ection 33, ap	om the point of divers oproximately 2,670 feet County	east and	d 1,148 fe	ce is platted, complete
Enter the section co	north-south orner: E	and east-wes	corner of Se	ection 33, ap	om the point of divers	east and	d 1,148 fe	ce is platted, complete clow:
Enter the section co	north-south orner: E	and east-west from the SW of Section	Township 4N	ection 33, ap	om the point of divers oproximately 2,670 feet County Skamania	If locat	d 1,148 fe	ce is platted, complete clow:
Enter the section co	north-south orner: E //4 of SW 1/4	and east-west from the SW of Section 33	Township 4N	Range(E/W) 8E	om the point of divers oproximately 2,670 feet County Skamania	If locat Lot	ion of sour b Block	ce is platted, complete clow:
Enter the section co	north-south orner: E //4 of SW 1/4	and east-west rom the SW of Section 33	Township 4N	Range(E/W) 8E	om the point of divers oproximately 2,670 feet County Skamania	If locat Lot	ion of source by Block	ce is platted, complete celow: Subdivision

Appl. No.: C

A. Name of system, if named: Carson Water System B. Briefly describe your proposed water system. (See instructions.) The Carson Water System currently withdraws water from Bear Creek under an existing water right (see Exhibit B). The proposed increase in withdrawal rate and volume will utilize the existing diversion structure, transmission pipeline, and treatment facility operated and maintained by the Skamania County PUD No. 1. The system has implemented conservation and leak detection measures as outlined in Section 6 of the Water System Plan Update to maximize the beneficial use of the resource. C. Do you already have any water rights or claims associated with this property or system? PROVIDE DOCUMENTATION. Certificate No. S2-00400C, priority date December 12, 1951 (see Exhibit B)

Section 6. DOMESTIC / PUBLIC WATER SUPPLY SYSTEM INFORMATION (Completed for all domestic/public supply uses.)

A.	Number of "connections" requested: 2,025 Type of connection Residential/Commercial/Industrial
	(Homes, Apartment, Recreational, etc.)
В.	Are you within the area of an approved water system? \square YES \square NC
	If yes, explain why you are unable to connect to the system. Note: Regional water systems are identified by your
	County Health Department. The proposed increase in withdrawal rate and volume will serve projected growth within the existing Carson Water System service area.
Comp	olete C. and D. only if the proposed water system will have fifteen or more connections.
C.	Do you have a current water system plan approved by the

C. Do you have a current water system plan approved by the

Washington State Department of Health?

If yes, when was it approved? 1996 Please attach the current approved version of your plan.

The accompanying Carson Water System Plan Update, September 2003, is currently under review by DOH.

Do you have an approved conservation plan?

If yes, when was it approved? 1996 Please attach the current approved version of your plan.

The Conservation Plan is a part of the September 2003 Carson Water System Plan Update. See Section 6.

Section 7. IRRIGATION/AGRICULTURAL/FARM INFORMATION (Complete for all irrigation and agriculture uses.)

(Co	mplete for all irrigation an	d agriculture uses.)	
A.	Total number of acres to be irriga	ated:	
B.	List total number of acres for oth	er specified agricultural uses:	
	Use	Acres	
	Use	Acres	
	Use	Acres	
C. D.	Add up the acreage in which you ‡ Acreage irrigated under ‡ Acreage proposed to be	sure Number 59, November 3, 1977, as ame have a controlling interest, including only: r water rights acquired after December 8, 19 e irrigated under this application; e irrigated under other pending application(s)	977;
	1. Is the combined acreage	greater than 6000 acres?	□ YES □ NO
		g interest in a Family Farm Development Ponit no:	
E.	Farm uses:		
	Stockwater - Total # of animals	Animal type	(If dairy cattle, see below)

Dairy - # Milking _____ # Non-milking _

Section 8. WATER STORAGE

Will you be using a dam, dike, or other structure to retain or store water?

☐ YES ☒ NO

NOTE: If you will be storing 10 acre-feet or more of water and/or if the water depth will be 10 feet or more at the deepest point, and some portion of the storage will be above grade, you must also apply for a reservoir permit. You can get a reservoir permit application from the Department of Ecology.

Section 9. DRIVING DIRECTIONS

Provide detailed driving instructions to the project site.

Traveling north from Carson, drive approximately 0.9 miles on Wind River Road after crossing the Wind River Bridge, turn right on Bear Creek Road (FR 6808), and proceed approximately 3.5 miles to the gated diversion structure access road on the west side of Bear Creek. The diversion structure is approximately 250 feet beyond the locked gate.

The place of use for treated Bear Creek water is the community of Carson.

Section 10. REQUIRED MAP

A. Attach a map of the project. (See instructions.)

See the attached Exhibit A.

Section 11. PROPERTY OWNERSHIP

If no, submit a copy of agreement:

ounty PUD No. 1 ope and industrial users	erates and maintains in the Carson comm		

The Bear Creek diversion structure and portions of the transmission pipeline are located in the Giffort-Pinchot National Forest. These facilities are operated and maintained under a Special Use Permit from the US Forest Service. See Exhibit C for a copy of the Special Use Permit and pending renewal letter.

I certify that the information above is true and accurate to the best of my knowledge. I understand that in order to process my application, I grant staff from the Department of Ecology access to the site for inspection and monitoring purposes. Even though I may have been assisted in the preparation of the above application by the employees of the Department of Ecology, all responsibility for the accuracy of the information rests with me.

Tombane, Water Distribution Manager	10-23-03
Applicant (or authorized representative)	Date
SAME	
Landowner for place of use (if same as applicant, write "same")	Date